



LED COLOR SWITCH



LED COLOR SWITCH







III PRODUCT DESCRIPTION

- One cabinet can be fitted with two different product groups
- Two different light colours selectable
- Available in all LUMITECH light colors (including: Natural Meat see details below)
- Identification of the light colors on the switch due to markings
- Power per light color individually selectable (e.g. 4000K = 15W, Meat = 12W)
- Housing with integrated mounting holes (4mm diameter)
- The switch includes a 4-pole cable (1m, white)
- Compact design including moisture protection
- Complies with all commercial standards UL, EN 60335, SELV, Food Safety, etc.
- Service life 70,000h
- Made in EU

III TECHNICAL DATA

Supply voltage	24 VDC
Ambient temperature ta	-20 +40 °C
Type of protection	IP64
Max. Switching capacity / Max. current	72W / 3A
Max. number of switching cycles	2000
EMC compatibility	yes

III ORDERING DATA

Art. Nr.	Туре
89601668	LED COLOR SWITCH, 24V, 72W, 3A

Packaging unit: 1 pc.



NATURAL**MEAT**

Reduced foodstuff wastage

Reduced graying increases the shelf life of packaged and unpackaged cold cuts and other meat products and allows them to be sold off the shelf for longer.

FRAUNHOFER LEBERKÄSE

>60% shelf life*

INTERNAL TESTING OF SPECIAL SAUSAGE >100% shelf life*

*Time to same graying at same illuminance with Natural Meat vs. standard 4000/4200K



LED COLOR SWITCH

III CABELING

