
LUMITECH
YOUR LIGHTING SOLUTION





MOUNT | Fixing Plates


© 2026-00 LUMITECH Lighting Solution GmbH | Technologiepark 10, A-8380 Jennersdorf | Tel +43 (0)3329 90 900 | office@lumitech.com | www.lumitech.com
All rights reserved. The product may differ from the photos. The technical content corresponds to the conditions valid at the time of going to press and is subject to change without notice.

MOUNT | Fixing Plates

PLATE METAL 0°







- Mounting plate for all linear engines with PROFILE Z201 / Z22W / Z40 / Z208
- Material: Metal

TECHNICAL DATA – MOUNT | Plate Metal 0°

Ambient temperature finally installed	-30 ... +80 °C
Ambient temperature during mounting the engine or the profile	+10 ... +30 °C
Dimensions L x W x H	22 x 19,9 x 8,8 mm
Weight	0,002 kg


RoHS


ORDERING DATA – MOUNT | Plate Metal 0°


Type	Art. Nr.
LED FIXING PLATE METAL 0°	88167376

Packaging: 50 pieces/packaging, 1,000 pieces/carton

PLATE METAL 0° MAGNETIC







- Magnetic mounting plate for all linear engines with PROFILE Z201 / Z22W / Z40 / Z208
- Material: Metal

TECHNICAL DATA – MOUNT | Plate Metal 0° Magnetic

Ambient temperature finally installed	-30 ... +80 °C
Ambient temperature during mounting the engine or the profile	+10 ... +30 °C
Dimensions L x W x H	22 x 19,9 x 12,8 mm
Weight	0,009 kg

RoHS

ORDERING DATA – MOUNT | Plate Metal 0° Magnetic


Type	Art. Nr.
LED FIXING PLATE METAL 0° Magnetic	88167382


Packaging: 50 pieces/packaging, 1,000 pieces/carton


© 2026-00 LUMITECH Lighting Solution GmbH | Technologiepark 10, A-8380 Jennersdorf | Tel +43 (0)3329 90 900 | office@lumitech.com | www.lumitech.com
All rights reserved. The product may differ from the photos. The technical content corresponds to the conditions valid at the time of going to press and is subject to change without notice.

MOUNT | Fixing Plates

PLATE METAL 30°







- Mounting plate for all linear engines with PROFILE Z201 / Z22W / Z40 / Z208
- Material: Metal

TECHNICAL DATA – MOUNT | Plate Metal 30°

Ambient temperature finally installed	-30 ... +80 °C
Ambient temperature during mounting the engine or the profile	+10 ... +30 °C
Dimensions L x W x H	36 x 21,9 x 22,6 mm
Weight	0,009 kg

RoHS


ORDERING DATA – MOUNT | Plate Metal 30°


Type	Art. Nr.
LED METAL ANGLE ECS 30°	88167378

Packaging: 50 pieces/packaging, 1,000 pieces/carton

PLATE METAL 30° MAGNETIC







- Mounting plate for all linear engines with PROFILE Z201 / Z22W / Z40 / Z208
- Material: Metal

TECHNICAL DATA – MOUNT | Plate Metal 30° Magnetic

Ambient temperature finally installed	-30 ... +80 °C
Ambient temperature during mounting the engine or the profile	+10 ... +30 °C
Dimensions L x W x H	44 x 21,9 x 26,7 mm
Weight	0,023 kg

RoHS

ORDERING DATA – MOUNT | Plate Metal 30° Magnetic


Type	Art. Nr.
LED MAGNETIC METAL ANGLE ECS 30°	88167386


Packaging: 50 pieces/packaging, 1,000 pieces/carton

© 2026-00 LUMITECH Lighting Solution GmbH | Technologiepark 10, A-8380 Jennersdorf | Tel +43 (0)3329 90 900 | office@lumitech.com | www.lumitech.com
All rights reserved. The product may differ from the photos. The technical content corresponds to the conditions valid at the time of going to press and is subject to change without notice.

MOUNT | Fixing Plates

PLATE METAL 45°





- Mounting plate for all linear engines with PROFILE Z201 / Z22W / Z40 / Z208
- Material: Metal

TECHNICAL DATA – MOUNT | Plate Metal 45°

Ambient temperature finally installed	-30 ... +80 °C
Ambient temperature during mounting the engine or the profile	+10 ... +30 °C
Dimensions L x W x H	36 x 20,7 x 25,4 mm
Weight	0,009 kg

RoHS


ORDERING DATA – MOUNT | Plate Metal 45°

Type	Art. Nr.
LED METAL ANGLE ECS 45°	88167379

Packaging: 50 pieces/packaging, 1,000 pieces/carton

PLATE METAL 45° MAGNETIC





- Mounting plate for all linear engines with PROFILE Z201 / Z22W / Z40 / Z208
- Material: Metal

TECHNICAL DATA – MOUNT | Plate Metal 45° Magnetic

Ambient temperature finally installed	-30 ... +80 °C
Ambient temperature during mounting the engine or the profile	+10 ... +30 °C
Dimensions L x W x H	36 x 20,7 x 29,4 mm
Weight	0,023 kg

RoHS

ORDERING DATA – MOUNT | Plate Metal 45° Magnetic


Type	Art. Nr.
LED MAGNETIC METAL ANGLE ECS 45°	88167387


Packaging: 50 pieces/packaging, 1,000 pieces/carton

© 2026-00 LUMITECH Lighting Solution GmbH | Technologiepark 10, A-8380 Jennersdorf | Tel +43 (0)3329 90 900 | office@lumitech.com | www.lumitech.com
All rights reserved. The product may differ from the photos. The technical content corresponds to the conditions valid at the time of going to press and is subject to change without notice.

MOUNT | Fixing Plates

PLATE METAL ADJUSTABLE





- Mounting plate for all linear engines with PROFILE Z201 / Z22W / Z40 / Z208
- Material: Metal
- Angle adjustable -60° bis +60°

TECHNICAL DATA – MOUNT | Plate Metal adjustable

Ambient temperature finally installed	-30 ... +80 °C
Ambient temperature during mounting the engine or the profile	+10 ... +30 °C
Dimensions L x W x H	40 x 19 x 19 mm
Weight	0,010 kg


RoHS


ORDERING DATA – MOUNT | Plate Metal adjustable

Type	Art. Nr.
LED FIXING PLATE METAL - adjustable	88167384

Packaging: 1,000 pieces/carton

PLATE METAL ADJUSTABLE MAGNETIC





- Magnetic mounting plate for all linear engines with PROFILE Z201 / Z22W / Z40 / Z208
- Material: Metal
- Angle adjustable -60° bis +60°

TECHNICAL DATA – MOUNT | Plate Metal adjustable magnetic

Ambient temperature finally installed	-30 ... +80 °C
Ambient temperature during mounting the engine or the profile	+10 ... +30 °C
Dimensions L x W x H	49 x 19,9 x 22,8 mm
Weight	0,024 kg

RoHS

ORDERING DATA – MOUNT | Plate Metal adjustable magnetic

Type	Art. Nr.
LED MAGNETIC PLATE METAL - adjustable	88167385

Packaging: 100 pieces/carton

© 2026-00 LUMITECH Lighting Solution GmbH | Technologiepark 10, A-8380 Jennersdorf | Tel +43 (0)3329 90 900 | office@lumitech.com | www.lumitech.com
All rights reserved. The product may differ from the photos. The technical content corresponds to the conditions valid at the time of going to press and is subject to change without notice.

MOUNT | Fixing Plates

SHELF HOLDER





- Use: Below lower shelves
- Material: Plastic
- Angle: Preconfigured at 30° for optimal illumination of the goods on show below
- Fixing: Thanks to the support on the lower shelf display area, simple to install using the groove provided on the outer sides of the shelf holders (caution: left and right versions of the shelf holders)

TECHNICAL DATA – SHELF HOLDER


Ambient temperature when fitted	-30 ... +30 °C
Ambient temperature when installing the light or profile	+10 ... +30 °C
Dimensions L x W x H	21 x 3.5 x 1.5 mm / complete shelf holder 21 x 8.5 x 1.5 mm
Weight	24 g (weight per pair 48g)


RoHS

ORDERING DATA – SHELF HOLDER

Type	Art. Nr.
SHELF HOLDERS - left and right part	**88167377**

PLATE METAL 0° WITH LONGHOLE





- Mounting plate for all linear engines with PROFILE Z201 / Z22W / Z40 / Z208
- With an additional mounting plate
- Material: Metal

TECHNICAL DATA – MOUNT | Plate Metal 0° with longhole

Ambient temperature finally installed	-30 ... +80 °C
Ambient temperature during mounting the engine or the profile	+10 ... +30 °C
Dimensions L x W x H	57 x 19 x 8,7mm
Weight	0,005 kg

RoHS

ORDERING DATA – MOUNT | Plate Metal 0° with longhole

Type	Art. Nr.
LED FIXING PLATE METAL 0° with longhole	**88167389**

Packaging: 250 pieces/carton

© 2026-00 LUMITECH Lighting Solution GmbH | Technologiepark 10, A-8380 Jennersdorf | Tel +43 (0)3329 90 900 | office@lumitech.com | www.lumitech.com
All rights reserved. The product may differ from the photos. The technical content corresponds to the conditions valid at the time of going to press and is subject to change without notice.


MOUNT | Fixing Plates

PLATE ECS 0° WITH STUDS





- Mounting plate for all linear engines with PROFILE Z201 / Z22W / Z40 / Z208
- With studs to prevent sliding in the longitudinal direction
- Material: PBT
- Colour: white



TECHNICAL DATA

Ambient temperature finally installed	-30 ... +80 °C
Ambient temperature during mounting the engine or the profile	+10 ... +30 °C
Dimensions L x W x H	33,4 x 18,7 x 6,5 mm
Weight	0.002 kg

RoHS

ORDERING DATA – MOUNT | Plate ECS 0°

Type	Art. Nr.
LED FIXING PLATE ECS 0°	88166859


Packaging: 100 pieces/packaging, 2,000 pieces/carton

PLATE ECS 0° WITHOUT STUDS





- Mounting plate for all linear engines with PROFILE Z201 / Z22W / Z40 / Z208
- Material: PBT
- Colour: white



TECHNICAL DATA

Ambient temperature finally installed	-30 ... +80 °C
Ambient temperature during mounting the engine or the profile	+10 ... +30 °C
Dimensions L x W x H	33.45 x 18.7 x 6.5 mm
Weight	0.002 kg

RoHS

ORDERING DATA – MOUNT | Plate ECS 0°


Type	Art. Nr.
LED Z161 FIXING PLATE ECS 0°	88712147


Packaging: 100 pieces/packaging, 2,000 pieces/carton

© 2026-00 LUMITECH Lighting Solution GmbH | Technologiepark 10, A-8380 Jennersdorf | Tel +43 (0)3329 90 900 | office@lumitech.com | www.lumitech.com
All rights reserved. The product may differ from the photos. The technical content corresponds to the conditions valid at the time of going to press and is subject to change without notice.


MOUNT | Fixing Plates

PLATE ECS 15°





- Mounting plate for all linear engines with PROFILE Z201 / Z22W / Z40 / Z208
- With studs to prevent sliding in the longitudinal direction
- Material: PBT
- Colour: white



TECHNICAL DATA

Ambient temperature finally installed	-30 ... +80 °C
Ambient temperature during mounting the engine or the profile	+10 ... +30 °C
Dimensions L x W x H	35 x 20,8 x 11,2 mm
Weight	0.002 kg


RoHS

ORDERING DATA – MOUNT | Plate ECS 15°

Type	Art. Nr.
LED FIXING PLATE ECS 15°	88167372


Packaging: 50 pieces/packaging, 1,000 pieces/carton

PLATE ECS 30°





- Mounting plate for all linear engines with PROFILE Z201 / Z22W / Z40 / Z208
- With studs to prevent sliding in the longitudinal direction
- Material: PBT
- Colour: white



TECHNICAL DATA

Ambient temperature finally installed	-30 ... +80 °C
Ambient temperature during mounting the engine or the profile	+10 ... +30 °C
Dimensions L x W x H	35 x 20,8 x 15,2 mm
Weight	0.002 kg

RoHS

ORDERING DATA – MOUNT | Plate ECS 30°


Type	Art. Nr.
LED FIXING PLATE ECS 30°	88167373

Packaging: 50 pieces/packaging, 1,000 pieces/carton

© 2026-00 LUMITECH Lighting Solution GmbH | Technologiepark 10, A-8380 Jennersdorf | Tel +43 (0)3329 90 900 | office@lumitech.com | www.lumitech.com
All rights reserved. The product may differ from the photos. The technical content corresponds to the conditions valid at the time of going to press and is subject to change without notice.


MOUNT | Fixing Plates

PLATE ECS 45°





- Mounting plate for all linear engines with PROFILE Z201 / Z22W / Z40 / Z208
- With studs to prevent sliding in the longitudinal direction
- Material: PBT
- Colour: white



TECHNICAL DATA

Ambient temperature finally installed	-30 ... +80 °C
Ambient temperature during mounting the engine or the profile	+10 ... +30 °C
Dimensions L x W x H	35 x 19,5 x 18,4 mm
Weight	0.002 kg


RoHS

ORDERING DATA – MOUNT | Plate ECS 45°

Type	Art. Nr.
LED FIXING PLATE ECS 45°	88167374


Packaging: 50 pieces/carton, 1,000 pieces/carton

PLATE ECS 60°





- Mounting plate for all linear engines with PROFILE Z201 / Z22W / Z40 / Z208
- With studs to prevent sliding in the longitudinal direction
- Material: PBT
- Colour: white



TECHNICAL DATA

Ambient temperature finally installed	-30 ... +80 °C
Ambient temperature during mounting the engine or the profile	+10 ... +30 °C
Dimensions L x W x H	35 x 17.9 x 20.1 mm
Weight	0.002 kg

RoHS

ORDERING DATA – MOUNT | Plate ECS 60°

Type	Art. Nr.
LED FIXING PLATE ECS 60°	88167375

Packaging: 50 pieces/packaging, 1,000 pieces/carton

© 2026-00 LUMITECH Lighting Solution GmbH | Technologiepark 10, A-8380 Jennersdorf | Tel +43 (0)3329 90 900 | office@lumitech.com | www.lumitech.com
All rights reserved. The product may differ from the photos. The technical content corresponds to the conditions valid at the time of going to press and is subject to change without notice.